

Display energy certificate (DEC)

Derbyshire County Council
1 Rink House
Rink Drive
SWADLINCOTE
DE11 8JL

Operational rating

D

Certificate number: 9788-1036-0531-0800-5995

Valid until: 30 April 2027

Total useful floor area: 442.86 square metres

Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO₂) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.

Previous operational ratings

Date	Operational rating
May 2017	93 D

Total carbon dioxide (CO₂) emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO₂.

Date	Electricity	Heating	Renewables
May 2017	32	0	0

Assessment details

Assessor's name	Deborah Braund
Employer/Trading name	Derbyshire County Council
Employer/Trading address	County Hall, Smedley Street, Matlock, DE4 3AG
Assessor's declaration	Employed by the occupier.
Accreditation scheme	Stroma Certification Ltd
Issue date	16 June 2017
Nominated date	1 May 2017

Score	Operational rating	This building	Typical
0-25	A		
26-50	B		
51-75	C		
76-100	D	93 D	
101-125	E		100
126-150	F		
150+	G		

This building's energy use

Energy use	Electricity	Other fuels
Annual energy use (kWh/m ² /year)	130	0
Typical energy use (kWh/m ² /year)	95	125
Energy from renewables	0%	0%