
# Energy performance certificate (EPC)

Rose Haven Park Hill TREDEGAR NP22 3PG	Energy rating	Valid until:	11 September 2034
		Certificate number:	0340-2879-6410-2894-8165

Property type	Detached bungalow
Total floor area	57 square metres

### Rules on letting this property




This property has an energy rating of F. It cannot be let, unless an exemption has been registered. You can read guidance for landlords on the regulations and exemptions (https://www.gov.uk/guidance/domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance).

Properties can be let if they have an energy rating from A to E. You could make changes to <u>improve this</u> <u>property's energy rating</u>.

# **Energy rating and score**

This property's energy rating is F. It has the potential to be B.

See how to improve this property's energy efficiency.



The graph shows this property's current and potential energy rating.

**Properties get a rating from A (best) to G (worst) and a score.** The better the rating and score, the lower your energy bills are likely to be.

For properties in England and Wales:

- the average energy rating is D
- the average energy score is 60

# Breakdown of property's energy performance

#### Features in this property

Features get a rating from very good to very poor, based on how energy efficient they are. Ratings are not based on how well features work or their condition.

Assumed ratings are based on the property's age and type. They are used for features the assessor could not inspect.

Feature	Description	Rating
Wall	Sandstone or limestone, as built, no insulation (assumed)	Very poor
Wall	Solid brick, as built, no insulation (assumed)	Very poor
Roof	Pitched, 100 mm loft insulation	Average
Roof	Pitched, no insulation (assumed)	Very poor

Feature	Description	Rating
Window	Single glazed	Very poor
Main heating	Boiler and radiators, mains gas	Good
Main heating control	Programmer, no room thermostat	Very poor
Hot water	From main system, no cylinder thermostat	Very poor
Lighting	No low energy lighting	Very poor
Floor	Solid, no insulation (assumed)	N/A
Secondary heating	Room heaters, mains gas	N/A

#### Primary energy use

The primary energy use for this property per year is 870 kilowatt hours per square metre (kWh/m2).

About primary energy use

#### **Additional information**

Additional information about this property:

Stone walls present, not insulated

# How this affects your energy bills

An average household would need to spend £3,175 per year on heating, hot water and lighting in this property. These costs usually make up the majority of your energy bills.

You could save £2,326 per year if you complete the suggested steps for improving this property's energy rating.

This is **based on average costs in 2024** when this EPC was created. People living at the property may use different amounts of energy for heating, hot water and lighting.

#### Heating this property

Estimated energy needed in this property is:

- 15,924 kWh per year for heating
- 7,083 kWh per year for hot water

# Impact on the environment

This property's environmental impact rating is G. It has the potential to be B.

Properties get a rating from A (best) to G (worst) on how much carbon dioxide (CO2) they produce each year.

#### **Carbon emissions**

An average household produces	6 tonnes of CO2
This property produces	8.8 tonnes of CO2
This property's potential production	1.1 tonnes of CO2

You could improve this property's CO2 emissions by making the suggested changes. This will help to protect the environment.

These ratings are based on assumptions about average occupancy and energy use. People living at the property may use different amounts of energy.

# Steps you could take to save energy

▶ Do I need to follow these steps in order?

#### Step 1: Increase loft insulation to 270 mm

Typical installation cost	£100 - £350
Typical yearly saving	£73
Potential rating after completing step 1	24 F

#### Step 2: Flat roof or sloping ceiling insulation

Typical installation cost	£850 - £1,500
Typical yearly saving	£84
Potential rating after completing steps 1 and 2	26 F

#### **Step 3: Internal wall insulation**

Typical installation cost	£4,000 - £14,000
Typical yearly saving	£699
Potential rating after completing steps 1 to 3	38 F

#### **Step 4: Floor insulation (solid floor)**

Typical installation cost	£4,000 - £6,000
Typical yearly saving	£190
Potential rating after completing steps 1 to 4	42 E

#### **Step 5: Hot water cylinder insulation**

Insulate hot water cylinder with 80 mm jacket

Typical installation cost	£15 - £30
Typical yearly saving	£391
Potential rating after completing steps 1 to 5	53 E

#### **Step 6: Draught proofing**

Typical installation cost	£80 - £120
Typical yearly saving	£55
Potential rating after completing steps 1 to 6	54 E

#### Step 7: Low energy lighting

Typical installation cost	£75
Typical yearly saving	£61
Potential rating after completing steps 1 to 7	56 D

#### **Step 8: Hot water cylinder thermostat**

Typical installation cost	£200 - £400
Typical yearly saving	£52
Potential rating after completing steps 1 to 8	57 D

#### **Step 9: Heating controls (room thermostat and TRVs)**

Typical installation cost	£350 - £450
Typical yearly saving	£220
Potential rating after completing steps 1 to 9	63 D

#### Step 10: Replace boiler with new condensing boiler

Typical installation cost	£2,200 - £3,000
Typical yearly saving	£314
Potential rating after completing steps 1 to 10	70 C

#### Step 11: Solar water heating

Typical installation cost	£4,000 - £6,000
Typical yearly saving	£68
Potential rating after completing steps 1 to 11	72 C

#### **Step 12: Double glazed windows**

Replace single glazed windows with low-E double glazed windows

Typical installation cost	£3,300 - £6,500
Typical yearly saving	£120
Potential rating after completing steps 1 to 12	75 C

#### Step 13: Solar photovoltaic panels, 2.5 kWp

Typical installation cost	£3,500 - £5,500
---------------------------	-----------------

# Potential rating after completing steps 1 to 13

88 B

#### Advice on making energy saving improvements

Get detailed recommendations and cost estimates

Speak to an advisor from Nest

#### Help paying for energy saving improvements

You may be eligible for help with the cost of improvements:

- Free energy saving improvements: Nest
- Insulation: Great British Insulation Scheme
- Heat pumps and biomass boilers: Boiler Upgrade Scheme
- Help from your energy supplier: Energy Company Obligation

#### Who to contact about this certificate

#### **Contacting the assessor**

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Darren Adie
Telephone	07703 723639
Email	energysolutionsuk@btinternet.com

#### Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/020319

Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

#### About this assessment

Assessor's declaration	No related party
Date of assessment	11 September 2024
Date of certificate	12 September 2024
Type of assessment	► <u>RdSAP</u>

# Other certificates for this property

If you are aware of previous certificates for this property and they are not listed here, please contact us at mhclg.digital-services@communities.gov.uk or call our helpdesk on 020 3829 0748 (Monday to Friday, 9am to 5pm).

There are no related certificates for this property.



Help (/help) Accessibility (/accessibility-statement) Cookies (/cookies)

Give feedback (https://forms.office.com/e/KX25htGMX5)

Service performance (/service-performance)

#### **OGL**

All content is available under the <u>Open Government</u> <u>Licence v3.0 (https://www.nationalarchives.gov.uk/doc/opengovernment-licence/version/3/)</u>, except where otherwise stated



© Crown copyright (https://www.nationalarchives.gov.uk/information-management/re-using-public-sector-information/uk-government-licensing-framework/crown-copyright/)